

# **Product Information Declaration**



#### FLOORING SYSTEMS

### **Bulletin Board**

Document Version	V1 - December 2023		
Product Class	Class 1		
Category	Wall Surfacing		
Product Type	Pin Board Linoleum		
Manufacturer	Forbo Holdings Ltd.		
Product	Forbo Bulletin Board		
Ranges	Various options available, see ww.forbo.com for options		
Identifier	Bulletin Board		
Format/s	Total Thickness: 6mm   Rolls: 122cmx28m		
Materials	Comprised of oxidised linseed oil, rosin binders, finely ground cork, and mineral fillers, calendered onto a jute backing.		
Area of use	To be applied in frames or directly to the wall and is suitable for internal use, in dry areas.		

### Conditions of use

Forbo Bulletin Board must be installed by a qualified trades person and must be handled, installed, and maintained in strict compliance with Forbo's recommended procedures and instructions as set out in the Forbo Bulletin Board Installation Guide. Bulletin Board material is permanently anti-static and thus does not attract dust, it is also bacteriostatic and these properties mean it is low maintenance and hygienic. To clean Bulletin Board simply use a pH-neutral cleaning agent and then wipe it with a damp cloth.

Forbo Bulletin Board is to be installed by adhering the Bulletin Board onto the surface of a backing board and press in firmly with a hand roller, or with a press. Using a press enables several Bulletin Board covered sheets to be pressed simultaneously as per the Forbo Bulletin Board Installation Guide. When using a press, a quality polyvinyl acetate dispersion adhesive may be used in a double-stick method. Refer to the Bulletin Board Installation guide for further details.

www.inzide.co.nz Page 1 of 4

## New Zealand Building Code Compliance

Section of Code			Product Compliance
B2 Durability B2 3.1 Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or: (c) 5 years if: 1. the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and 2. failure of those building elements to comply with the building code would be easily detected during normal use of the building.			Forbo Bulletin Board has a Standard Product Warranty of 5 years.  It is produced in accordance with ISO 9001:2015 Quality Management Systems and ISO 14001:2015 Environmental Management Systems, requirements.  Refer to: Forbo 5-year Standard Product Warranty, Bulletin Board Technical Specification, Forbo Bulletin Board Installation guide, Forbo Bulletin Board Care & Maintenance documentation for further information.
C3 Surface Linings C3.4 (a) (a) materials used as internal surface linings in the following areas of buildings must meet the performance criteria specified below: Clause C3.4 does not apply to detached dwellings, within household units in multi-unit dwellings, or outbuildings and ancillary buildings. Performance determined under conditions described in ISO 9705: 1993			Forbo Bulletin Board maintains a valid test report showing it achieves a Group 3 rating for use on walls.  Forbo Bulletin Board is acceptable for Wall materials in crowd and sleeping uses except household units where care or detention is provided when buildings are protected with an automatic fire sprinkler system.
Area of Building	Buildings not protected with an automatic fire sprinkler system	Buildings protected with an automatic fire sprinkler system	Forbo Bulletin Board is acceptable for Wall/ceiling materials in occupied spaces in all other locations in buildings, including household units when both buildings are not protected and protect with an
Wall/ceiling materials in sleeping area where care or detention is provided	Material Group Number 1-S	Material Group Number 1 or 2	automatic fire sprinkler system.
Wall/Ceiling material in exit ways	Material Group Number 1-S	Material Group Number 1 or 2	
Wall/Ceiling materials in all occupied spaces in importance level 4 buildings	Material Group Number 1-S	Material Group Number 1 or 2	
Internal surfaces of ducts for HVAC systems	Material Group Number 1-S	Material Group Number 1 or 2	
Ceiling materials in crowd and sleeping uses except household units and where care or detention is provided	Material Group Number 1-S or 2-S	Material Group Number 1 or 2	
Wall materials in crowd and sleeping uses except household units and where care or detention is provided	Material Group Number 1-S or 2-S	Material Group Number 1, 2, or 3	
Wall/ceiling materials in occupied spaces in all other locations in buildings, including household units.	Material Group Number 1, 2, or 3	Material Group Number 1, 2, or 3	
External surfaces of ducts for HVAC systems	Material Group Number 1, 2, or 3	Material Group Number 1, 2, or 3	
Acoustic treatment and pipe insulation within air handling plenums in sleeping uses	Material Group Number 1, 2, or 3	Material Group Number 1, 2, or 3	

www.inzide.co.nz Page 2 of 4

Section of Code	Product Compliance
F2 Hazardous Building Materials F2.3.1 The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.	No components within Forbo Bulletin Board are considered Hazardous. Refer to the Forbo Bulletin Board Material Safety Data Sheet and VOC Report documents for further information.
G6 Airborne and Impact Sound G6.3.1 The Sound Transmission Class of walls, floors and ceilings, shall be no less than 55.	G6.3.1 A field test is recommended within the space.
Warnings & Bans	This product is not subject to any warnings or bans under section 26 of the Building Act 2004

### **Supporting Documentation**

For all specification, installation, care & maintenance, warranty, tests reports and other supporting documentation, refer to www.inzide.co.nz

www.inzide.co.nz Page 3 of 4

### **Contact Details**

#### **Product Manufacturer**

Forbo Flooring Systems www.forbo.com

Manufacturing sites:
Assendelft, The Netherlands
Coevorden, The Netherlands
Giubiasco, Switzerland
Kirkcaldy, Scotland
Reims, France
Krommenie, The Netherlands
Bamber Bridge, United Kingdom
Ripley, United Kingdom
Telford, United Kingdom

#### **New Zealand Supplier**

Inzide Commercial Ltd. Level 2, 34 Barry's Point Road Takapuna, 0632 0800 800 656 www.inzide.co.nz sales@inzide.co.nz

NZBN: 714832

### Responsible Person

In accordance with regulation 8, as the responsible person, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore, to the best of my knowledge, correct.

Signed for and on the behalf of Inzide Commercial Ltd and Forbo Inc.

Steve Aschebrock Managing Director, Inzide Commercial Ltd.

8/12/2023

www.inzide.co.nz Page 4 of 4