
# Base Build One





# Base Build One COLLECTION

### NEW ZEALAND STOCK

All Interface and Forbo carpet tiles have a 15year standard product warranty. Interface carpet tiles are closed loop recyclable through the ReEntry recycling programe, the only floor recycling program that is Ministry for Environment certified in New Zealand. These flooring options have a high % of recycled material incorporated into them.

All Forbo and Interface products meet best practice PVC requirements, are phthalate free, with low VOC's and are 3rd Party Certified to be best in class, sustainable flooring solutions, meeting Greenstar requirements.

# **Specifications**

Range	Manufacturer	Fire Rating	Acoustic Rating	Format 1	Total Thickness	Area of Use C	3rd Party Certification	Backing	Carton size	Warranty
Works Stream	Interface	6.7Kw/m2	25dB	Tile 50X50cm	5.5mm +/- 0.5mm	Commercial General Duty Areas	GreenTag GreenRate Level A	GlasBac / CushionBacR E	20 Tiles 5m2	15 years Standard product
Tessera Layout	Forbo	8Kw/m2	27dB	Tile 50X50cm	5.8mm +/- 0.5mm	Commercial Heavy Duty Areas	GECA	ProBac	20 Tiles 5m2	15 years Standard product
Tessera Basis Pro	Forbo	5.1Kw/m2	25dB	Tile 50X50cm	5.7mm +/- 0.5mm	Commercial Heavy Duty Areas	GECA	ProBac	20 Tiles 5m2	15 years Standard product
Tessera Infused	Forbo	7.9Kw/m2	26dB	Tile 50X50cm	6.7mm +/- 0.5mm	Commercial Heavy Duty Areas	GECA	ProBac	16 Tiles 4m2	15 years Standard product

### **Entrance Matting**

It is highly recommended that entrance matting is installed at every entry/exit point of a building for al least 1.8m, ideally 3m. This removes liquids, dirt and contaminants from wheels, shoes and feet, reducing slip risks and keeping your floor investment looking and performing better. Ask us about Step Repeat and Coral Entrance Matting Solutions.























# Interface

# Base Build One COLLECTION

NEW ZEALAND STOCK

Products shown within the Base Build One swatch are NZ stock items and all Interface and Forbo products meet NZGBC Greenstar requirements.

Please note there are many other colours available both within the NZ Stock offering and global indent collections, contact your Inzide Account Manager or visit www.inzide.co.nz

Call 0800 800 656 for pricing and availability prior to ordering.

## **Installation Methods**





TESSERA LAYOUT







TESSERA BASIS PRO





TESSERA INFUSED



4503 Endurina Storm













For more information visit: www.inzide.co.nz

Email: sales@inzide.co.nz Free Phone: 0800 800 656 Phone: 09 441 9850