

# Product Information Declaration



FLOORING SYSTEMS

## Desktop

<b>Document Version</b>	V1 - December 2023
<b>Product Class</b>	Class 1
<b>Category</b>	Wall and Furniture Surfacing
<b>Product Type</b>	Furniture Linoleum
<b>Manufacturer</b>	Forbo Holdings Ltd.
<b>Product</b>	Forbo Desktop
<b>Ranges</b>	Various options available, see <a href="http://ww.forbo.com">ww.forbo.com</a> for options
<b>Identifier</b>	Desktop
<b>Format/s</b>	Total Thickness: 2mm   Rolls: 183cmx30m
<b>Materials</b>	Comprised of Homogeneous compressed mix of timber flour, calcium carbonate, linseed and gum rosin including pigments
<b>Area of use</b>	To be applied to furniture surfaces, suitable for internal use, in dry areas for general purpose use.

### Conditions of use

Forbo Desktop must be installed by a qualified trades person and must be handled, installed, and maintained in strict compliance with Forbo's recommended procedures and instructions as set out in the Forbo Desktop Installation Guide. Furniture Linoleum can be applied on a radius larger than 25 mm. The warmer the Furniture Linoleum is the easier it bends. Avoid bending when the material is cold.

Desktop is permanently anti-static, it does not attract dust. It is also bacteriostatic and these properties mean it is low maintenance and hygienic. To clean Desktop simply use a pH-neutral cleaning agent and then wipe it with a damp cloth.

Desktop is resistant to diluted acids, oils, fats and conventional solvents. Not resistant to prolonged exposure to alkalis. Heat resistant to 70 Degrees Celsius.

# New Zealand Building Code Compliance

Section of Code			Product Compliance
<p><b>B2 Durability</b></p> <p>B2 3.1 Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or: (c) 5 years if: 1. the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and 2. failure of those building elements to comply with the building code would be easily detected during normal use of the building.</p>			<p>Forbo Desktop has a Standard Product Warranty of 5 years.</p> <p>It is produced in accordance with ISO 9001:2015 Quality Management Systems and ISO 14001:2015 Environmental Management Systems, requirements.</p> <p>Refer to: Forbo 5-year Standard Product Warranty, Desktop Technical Specification, Forbo Desktop Installation guide, Forbo Desktop Care &amp; Maintenance documentation for further information.</p>
<p><b>C3 Surface Linings</b></p> <p>C3.4 (a) (a) materials used as internal surface linings in the following areas of buildings must meet the performance criteria specified below:            Clause C3.4 does not apply to detached dwellings, within household units in multi-unit dwellings, or outbuildings and ancillary buildings.            Performance determined under conditions described in ISO 9705: 1993</p>			<p>Forbo Desktop maintains valid test reports showing it achieves a Group 3 rating for use on walls.</p> <p>Forbo Desktop is acceptable for Wall/ surface materials in crowd and sleeping uses except household units where care or detention is provided when buildings are protected with an automatic fire sprinkler system.</p> <p>Forbo Desktop is acceptable for Wall/surface materials in occupied spaces in all other locations in buildings, including household units when both buildings are not protected and protect with an automatic fire sprinkler system.</p>
Area of Building	Buildings not protected with an automatic fire sprinkler system	Buildings protected with an automatic fire sprinkler system	
Wall/ceiling materials in sleeping area where care or detention is provided	Material Group Number 1-S	Material Group Number 1 or 2	
Wall/Ceiling material in exit ways	Material Group Number 1-S	Material Group Number 1 or 2	
Wall/Ceiling materials in all occupied spaces in importance level 4 buildings	Material Group Number 1-S	Material Group Number 1 or 2	
Internal surfaces of ducts for HVAC systems	Material Group Number 1-S	Material Group Number 1 or 2	
Ceiling materials in crowd and sleeping uses except household units and where care or detention is provided	Material Group Number 1-S or 2-S	Material Group Number 1 or 2	
Wall materials in crowd and sleeping uses except household units and where care or detention is provided	Material Group Number 1-S or 2-S	Material Group Number 1, 2, or 3	
Wall/ceiling materials in occupied spaces in all other locations in buildings, including household units.	Material Group Number 1, 2, or 3	Material Group Number 1, 2, or 3	
External surfaces of ducts for HVAC systems	Material Group Number 1, 2, or 3	Material Group Number 1, 2, or 3	
Acoustic treatment and pipe insulation within air handling plenums in sleeping uses	Material Group Number 1, 2, or 3	Material Group Number 1, 2, or 3	

Section of Code	Product Compliance
<p><b>F2 Hazardous Building Materials</b></p> <p>F2.3.1 The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.</p>	<p>No components within Forbo Desktop are considered Hazardous.</p> <p>Refer to the Forbo Desktop Material Safety Data Sheet and VOC Report documents for further information.</p>
<p><b>G6 Airborne and Impact Sound</b></p> <p>G6.3.1 The Sound Transmission Class of walls, floors and ceilings, shall be no less than 55.</p>	<p>G6.3.1</p> <p>A field test is recommended within the space.</p>
<p><b>Warnings &amp; Bans</b></p>	<p>This product is not subject to any warnings or bans under section 26 of the Building Act 2004</p>

## Supporting Documentation

For all specification, installation, care & maintenance, warranty, tests reports and other supporting documentation, refer to [www.inzide.co.nz](http://www.inzide.co.nz)

## Contact Details

### Product Manufacturer

Forbo Flooring Systems

[www.forbo.com](http://www.forbo.com)

#### Manufacturing sites:

Assendelft, The Netherlands

Coevorden, The Netherlands

Giubiasco, Switzerland

Kirkcaldy, Scotland

Reims, France

Krommenie, The Netherlands

Bamber Bridge, United Kingdom

Ripley, United Kingdom

Telford, United Kingdom

### New Zealand Supplier

Inzide Commercial Ltd.

Level 2, 34 Barry's Point Road

Takapuna, 0632

0800 800 656

[www.inzide.co.nz](http://www.inzide.co.nz)

[sales@inzide.co.nz](mailto:sales@inzide.co.nz)

NZBN: 714832

## Responsible Person

In accordance with regulation 8, as the responsible person, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore, to the best of my knowledge, correct.



Signed for and on the behalf of Inzide Commercial Ltd and Forbo Inc.

Steve Aschebrock  
Managing Director,  
Inzide Commercial Ltd.

8/12/2023